

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41865	50 VERTICAL W/FTG	20.5
41866	50 VERTICAL W/O FTG	20.4
41867	25 VERTICAL W/FTG	12.5
41868	25 VERTICAL W/O FTG	12.4
41347	65 VERTICAL-YLW-W/FTG	26.3
41355	65 VERTICAL-YLW-W/O FTG	26.0
41863	75 VERTICAL W/FTG	28.3
41864	75 VERTICAL W/O FTG	28.0
45192	65 VERTICAL W/FTG	26.3
45195	65 VERTICAL W/O FTG	26.0
40803	105 VERTICAL W/FTG	37.8
40804	105 VERTICAL W/O FTG	37.0
40923	105 VERTICAL-BLACK-W/FTG	37.8
41861	100 VERTICAL W/FTG	34.3
41862	100 VERTICAL W/O FTG	34.0
40281	165 VERTICAL W/FTG	54.2
40282	165 VERTICAL W/O FTG	53.4
40731	165 VERTICAL-BLACK-W/FTG	54.2
41854	250 VERTICAL W/FTG	66.8
41855	250 VERTICAL W/O FTG	66.0
41856	200 VERTICAL W/FTG	51.8
41857	200 VERTICAL W/O FTG	51.0
41859	150 VERTICAL W/FTG	48.3
41860	150 VERTICAL W/O FTG	48.0
47222	210 VERTICAL W/O FTG	FW16 58.4
47401	210 VERTICAL W/FTG	SP#9 59.2
40213	300 VERTICAL W/FTG	79.2
40215	300 VERTICAL W/O FTG	78.4
40600	300 VERTICAL-BLACK-W/FTG	79.2
41333	300 VERTICAL-HD-BLUE-W/O FTG	88.4
41439	300 VERTICAL-HD-NAT-W/O FTG	88.4
41711	300 VERT-W/FTG-W/VENTLESS LID	79.1
41988	300 VERTICAL-BLACK-W/O FTG	78.4
40302	305 VERTICAL W/FTG	74.2
40303	305 VERTICAL W/O FTG	73.4
40398	305 VERTICAL-BLACK-W/FTG	74.2
40399	305 VERTICAL-BLACK-W/O FTG	73.4
40702	305 WATER ONLY-BLACK-W/FTGS	69.5
40863	305 WATER ONLY-DK GREEN-W/FTGS	74.5
40880	305 WATER ONLY-BLACK-W/O FTGS	68.4
41362	305 WATER ONLY-GREEN-W/FTGS	69.5

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40148	500 VERTICAL W/FTG	104.6
40149	500 VERTICAL W/O FTG	103.4
40150	500 VERTICAL-HD-W/FTG	119.6
40151	500 VERTICAL-HD-W/O FTG	118.4
40582	500 VERTICAL-BLACK-W/FTG	104.6
40583	500 VERTICAL-BLACK-W/O FTG	103.4
40928	500 VERT NATURAL-HD-W/O FTG	118.4
40023	550 VERTICAL W/FTG	104.6
40024	550 VERTICAL-GREEN-W/FTG	104.6
40104	550 VERTICAL W/O FTG	103.4
40337	550 VERTICAL-BLACK-W/FTG	104.6
40338	550 VERTICAL-BLACK-W/O FTG	103.4
40577	550 VERTICAL-HD-W/O FTG	113.4
40699	550 VERTICAL-HD-W/FTG	114.6
40703	550 WATER ONLY-BLACK-W/FTGS	99.5
40864	550 WATER ONLY-DK GREEN-W/FTGS	99.5
40958	550 VERTICAL-GREEN-W/O FTG	103.4
41339	550 VERTICAL-YLW-W/FTG	104.6
41364	550 WATER ONLY-GREEN-W/FTGS	99.5
40606	750 VERTICAL W/FTG	154.6
40607	750 VERTICAL W/O FTG	153.4
40608	750 VERTICAL-HD-W/FTG	174.6
40609	750 VERTICAL-HD-W/O FTG	173.4
40747	750 VERTICAL-BLACK-W/O FTG	153.4
40152	1000 VERTICAL W/FTG	174.6
40153	1000 VERTICAL W/O FTG	173.4
40154	1000 VERTICAL-HD-W/FTG	199.6
40155	1000 VERTICAL-HD-W/O FTG	198.4
40584	1000 VERTICAL-BLACK-W/FTG	174.6
40643	1000 VERTICAL-BLACK-W/O FTG	173.4
40892	1000 WATER ONLY-BLACK-W/FTGS	159.5
41686	1000 WATER ONLY-DK GRN-W/FTGS	159.5
40004	1000 VERTICAL-GREEN-W/FTG	179.6
40564	1000 VERTICAL W/2" FTG	179.6
40070	1100 VERTICAL W/FTG	184.6
40081	1100 VERTICAL-HD-W/FTG	209.6
40107	1100 VERTICAL W/O FTG	183.4
40108	1100 VERTICAL-HD-W/O FTG	208.4
40339	1100 VERTICAL-BLACK-W/FTG	184.6
40340	1100 VERTICAL-BLACK-W/O FTG	183.4
40704	1100 WATER ONLY-BLACK-W/FTGS	184.5
40865	1100 WATER ONLY-DK GRN-W/FTGS	184.5
41024	1100 WATER ONLY-BLACK-W/O FTG	183.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41365	1100 WATER ONLY-GREEN-W/FTGS	184.5
40858	1350 WATER ONLY-DK GRN-W/FTGS	204.5
40860	1350 WATER ONLY-BLACK-W/FTGS	204.5
40861	1350 VERTICAL W/FTG	229.6
40862	1350 VERTICAL W/O FTG	228.4
41367	1350 WATER ONLY-GREEN-W/FTGS	204.5
40144	1500 VERTICAL W/FTG	279.6
40145	1500 VERTICAL W/O FTG	278.4
40146	1500 VERTICAL-HD-W/FTG	329.6
40147	1500 VERTICAL-HD-W/O FTG	328.4
40611	1500 VERTICAL-BLACK-W/O FTG	278.4
40753	1500 VERTICAL-BLACK-W/FTG	279.6
40878	1500 VERT NATURAL-HD-W/O FTG	328.4
40908	1500 VERTICAL-BLACK-HD-W/O FTG	328.4
42018	1500 VERTICAL-BLACK-HD-W/FTG	329.6
40235	1550 VERTICAL W/FTG	219.6
40236	1550 VERTICAL-HD-W/FTG	249.6
40237	1550 VERTICAL W/O FTG	218.4
40238	1550 VERTICAL-HD-W/O FTG	248.4
40341	1550 VERTICAL-BLACK-W/FTG	219.6
40342	1550 VERTICAL-BLACK-W/O FTG	218.4
40404	1550 VERT-RECYC BLACK-W/FTG	219.6
40627	1550 WATER ONLY-BLACK-W/FTGS	214.5
40866	1550 WATER ONLY-DK GRN-W/FTGS	214.5
40915	1550 VERTICAL-BLACK-HD-W/O FTG	248.4
40939	1550 WATER RECYC-BLACK-W/FTGS	214.5
41368	1550 WATER ONLY-GREEN-W/FTGS	214.5
41968	1550 VERTICAL-GRAY-W/O FTG	218.4
40041	1500 VERTICAL-GREEN-W/FTG	219.6
40563	1500 VERTICAL W/FTG	219.6
40010	1700 VERTICAL W/FTG	244.6
40011	1700 VERTICAL W/O FTG	243.4
40012	1700 VERTICAL-HD-W/FTG	279.6
40013	1700 VERTICAL-HD-W/O FTG	278.4
40725	1700 VERTICAL-BLACK-W/FTG	244.6
40177	2100 VERTICAL W/O FTG	303.4
40178	2100 VERTICAL W/FTG	304.6
40241	2100 VERTICAL-HD-W/FTG	349.6
40261	2100 VERTICAL-HD-W/O FTG	348.4
40406	2100 VERTICAL-GREEN-W/FTG	304.6
40642	2100 VERTICAL-BLACK-W/O FTG	303.4
40646	2100 VERTICAL-BLACK-W/FTG	304.6

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40680	2100 VERT NAT-HD-W/O FTG	348.4
41399	2100 VERTICAL X 102 W/FTG	294.6
41400	2100 VERTICAL X 102 W/O FTG	293.4
40051	2500 VERTICAL W/FTG	379.6
40052	2500 VERTICAL-HD-W/FTG	424.6
40114	2500 VERTICAL W/O FTG	378.4
40115	2500 VERTICAL-HD-W/O FTG	423.4
40343	2500 VERTICAL-BLACK-W/FTG	379.6
40344	2500 VERTICAL-BLACK-W/O FTG	378.4
40631	2500 WATER ONLY-BLACK-W/FTGS	339.5
40632	2500 WATER ONLY-BLACK-W/O FTGS	338.4
40716	2500 VERTICAL-BLACK-HD-W/FTG	424.6
40721	2500 VERTICAL-BLACK-HD-W/O FTG	423.4
40867	2500 WATER ONLY-DK GRN-W/FTGS	339.5
40940	2500 WATER RECYC-BLK-W/FTGS	339.5
40960	2500 VERT NAT-HD-W/O FTG	423.4
41370	2500 WATER ONLY-GREEN-W/FTGS	339.5
40058	3000 VERTICAL-HD-W/O FTG	518.4
40063	3000 VERTICAL W/FTG	451.2
40064	3000 VERTICAL W/O FTG	448.4
40065	3000 VERTICAL-HD-W/FTG	521.2
40581	3000 VERTICAL-BLACK-W/FTG	449.6
40595	3000 VERTICAL-BLACK-W/O FTG	448.4
40635	3000 WATER ONLY-BLACK-W/FTGS	404.5
40645	3000 VERTICAL-BLACK-HD-W/O FTG	518.4
40754	3000 VERTICAL W/2" FTG	449.6
40755	3000 VERTICAL-HD-W/2" FTG	519.6
40868	3000 WATER ONLY-DK GRN-W/FTGS	404.5
41372	3000 WATER ONLY-GREEN-W/FTGS	404.5
42008	3000 WATER ONLY-BLACK-W/O FTG	403.4
40312	4000 VERTICAL W/FTG	756.2
40313	4000 VERTICAL W/O FTG	753.4
40314	4000 VERTICAL-HD-W/FTG	866.2
40315	4000 VERTICAL-HD-W/O FTG	863.4
40616	4000 VERT NATURAL-HD-W/O FTG	863.4
40705	4000 WATER ONLY-BLK-W/FTGS	679.5
40767	4000 VERTICAL-BLACK-W/O FTG	753.4
40851	4000 VERTICAL-BLACK-W/FTG	756.2
41374	4000 WATER ONLY-GREEN-W/FTGS	679.5
41403	4200 VERTICAL W/FTG	756.2
41404	4200 VERTICAL W/O FTG	753.4
42020	4200 VERTICAL-BLACK-W/FTG	756.2

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40164	5000 VERTICAL W/FTG	986.2
40165	5000 VERTICAL W/O FTG	983.4
40166	5000 VERTICAL-HD-W/FTG	1,131.2
40167	5000 VERTICAL-HD-W/O FTG	1,128.4
40345	5000 VERTICAL-BLACK-W/FTG	986.2
40346	5000 VERTICAL-BLACK-W/O FTG	983.4
40638	5000 WATER-RECYC-BLK-W/FTGS	879.5
40639	5000 WATER-RECYC-BLK-W/O FTG	878.4
40640	5000 WATER ONLY-BLACK-W/O FTGS	878.4
40641	5000 WATER ONLY-BLACK-W/FTGS	879.5
40870	5000 WATER ONLY-DK GRN-W/FTGS	879.5
41375	5000 WATER ONLY-GREEN-W/FTG	879.5
41376	5000 WATER ONLY-GREEN-W/O FTG	878.4
42010	5000 VERTICAL-HD-NAT-W/O FTG	1,128.4
40941	5000 VERTICAL-141"-W/FTG	896.2
40942	5000 VERTICAL-141"-W/O FTG	893.4
40943	5000 WATER ONLY-BLK-141"-W/FTG	794.5
40944	5000 WATER ONLY-BLK-141"-W/OFT	793.4
41377	5000 WATER ONLY-GRN-141"-W/FTG	794.5
41378	5000 WATER-GRN-141"-W/O FTG	793.4
41806	5000 WATER-BLK-141"-RECY-W/FTG	794.5
40071	5800 VERTICAL W/FTG	1,121.2
40073	5800 VERTICAL W/O FTG	1,118.4
41212	5800 VERTICAL-HD-W/O FTG	1,278.4
41283	5800 VERT NATURAL-HD-W/O FTG	1,278.4
40226	6000 VERTICAL W/FTG	1,331.2
40227	6000 VERTICAL W/O FTG	1,328.4
40233	6000 VERTICAL-HD-W/FTG	1,451.2
40262	6000 VERTICAL-HD-W/O FTG	1,448.4
40575	6000 VERT NATURAL-HD-W/FTG	1,451.2
40576	6000 VERT NATURAL-HD-W/O FTG	1,448.4
40593	6000 VERTICAL-BLACK-W/O FTG	1,328.4
40769	6000 VERTICAL-BLACK-W/FTG	1,331.2
41414	6000 VERTICAL-HD-BLACK-W/FTG	1,451.2
41428	6000 VERTICAL-HD-BLACK-W/O FTG	1,448.4
40659	6100 VERTICAL-W/FTG	1,286.2
40660	6100 VERTICAL-W/O FTG	1,283.4
40661	6100 VERTICAL-HD-W/FTG	1,456.2
40662	6100 VERTICAL-HD-W/O FTG	1,453.4
40722	6100 VERTICAL-BLACK-W/O FTG	1,283.4
40764	6100 VERTICAL-BLACK-W/FTG	1,286.2
40918	6100 VERTICAL-BLACK-HD-W/FTG	1,456.2
41023	6100 VERT NATURAL-HD-W/O FTG	1,453.4
41418	6100 VERTICAL-HD-BLACK-W/O FTG	1,453.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40224	6500 VERTICAL-W/FTG	1,346.2
40225	6500 VERTICAL W/O FTG	1,343.4
40232	6500 VERTICAL-HD-W/FTG	1,506.2
40263	6500 VERTICAL-HD W/O FTG	1,503.4
40649	6500 VERTICAL-BLACK-W/FTG	1,346.2
40877	6500 VERTICAL-BLACK-HD-W/O FTG	1,503.4
40896	6500 VERT NATURAL-HD-W/O FTG	1,503.4
41688	6500 VERT NATURAL-HD-W/FTG	1,506.2
41889	6500 VERTICAL-BLACK-W/O FTG	1,343.4
40663	7800 VERTICAL-W/FTG	1,606.2
40665	7800 VERTICAL-HD-W/FTG	1,806.2
40666	7800 VERTICAL-HD-W/O FTG	1,803.4
40667	7800 VERTICAL-W/O FTG	1,603.4
40760	7800 VERT NATURAL-HD-W/O FTG	1,803.4
40954	7800 VERTICAL-BLACK-HD-W/O FTG	1,803.4
41178	7800 VERTICAL-BLACK-W/O FTG	1,603.4
41301	7800 VERTICAL-BLACK-W/FTG	1,606.2
40231	9000 VERTICAL-HD-W/FTG	2,031.2
40264	9000 VERTICAL-HD-W/O FTG	2,028.4
40543	9000 VERTICAL W/FTG	1,831.2
40544	9000 VERTICAL W/O FTG	1,828.4
40786	9000 VERTICAL-BLACK-W/FTG	1,831.2
40353	10000 VERTICAL-HD-W/FTG	2,256.2
40354	10000 VERTICAL-HD-W/O FTG	2,253.4
40545	10000 VERTICAL W/FTG	2,056.2
40546	10000 VERTICAL W/O FTG	2,053.4
40591	10000 VERTICAL-BLACK-W/FTG	2,056.2
40610	10000 VERTICAL-BLACK-W/O FTG	2,053.4
41338	10000 WATER ONLY-BLACK-W/FTGS	1,803.9
41353	10000 WATER ONLY-BLACK-W/O FTG	1,803.4
41379	10000 WATER ONLY-GREEN-W/FTGS	1,803.9
41380	10000 WATER ONLY-GREEN-W/O FTG	1,803.4
41888	10000 VERTICAL-HD-BLACK-W/FTG	2,256.2
41950	10000 VERT-14# HD-W/O FTG	2,203.4
41966	10000 VERTICAL-HD-NAT-W/FTG	2,256.2
41967	10000 VERTICAL-HD-NAT-W/O FTG	2,253.4
40539	12000 VERTICAL W/3"SS FTG	2,809.8
40540	12000 VERTICAL W/O FTG	2,803.4
40541	12000 VERTICAL-HD-W/3"SS FTG	3,309.8
40542	12000 VERTICAL-HD-W/O FTG	3,303.4
40850	12000 VERTICAL-BLACK-HD-W/OFTG	3,303.4
40872	12000 VERTICAL-BLACK-W/O FTG	2,803.4
40874	12000 VERTICAL-BLACK-W/3"SSFTG	2,809.8

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41334	15000 VERTICAL-W/3"SS FTG	3,609.8
41335	15000 VERTICAL-W/O FTG	3,603.4
41336	15000 VERTICAL-HD-W/3"SS FTG	4,159.8
41337	15000 VERTIICAL-HD-W/O FTG	4,153.4
41357	15000 VERT-BLACK-W/3" SS FTG	3,609.8
41359	15000 VERTICAL-BLACK-W/O FTG	3,603.4
42012	15000 VERT-HD-BLACK-W/3"SS FTG	4,159.8
41252	200 ELLIP W/FTGS	81.6
41253	200 ELLIP W/O FTGS	81.0
41295	200 ELLIP YLW W/FTGS	81.6
41845	200 ELLIPTICAL KINZE	81.5
40327	300 ELLIP W/FTGS	114.0
40333	300 ELLIP W/O FTGS	113.4
40720	300 ELLIP YLW W/FTGS	114.0
40328	500 ELLIP W/FTGS	154.0
40334	500 ELLIP W/O FTGS	153.4
40369	500 ELLIP YLW W/FTGS	154.0
41804	500 ELLIP-HD-NAT-W/FTGS	179.0
41846	500 ELLIPTICAL-HD-NAT-W/2" FTG	178.9
42004	500 ELLIP-BLACK-W/O FTG	153.4
40329	750 ELLIP W/FTGS	218.9
40335	750 ELLIP W/O FTGS	218.4
40371	750 ELLIP YLW W/FTGS	218.9
40765	750 ELLIP-CTR SUMP-W/FTGS	218.9
40330	1000 ELLIP W/FTGS	283.9
40336	1000 ELLIP W/O FTGS	283.4
40373	1000 ELLIP YLW W/FTGS	283.9
40402	1000 ELLIP-HD-W/FTGS	323.9
40844	1000 ELLIP-HD-NAT-W/FTGS	323.9
41361	1000 ELLIP-BLK-W/FTGS	283.9
47111	1600 ELLIP W/FTG	425.1
47685	1600 ELLIP W/O FTG	424.5
47677	2550 ELLIP W/FTG	757.3
47678	2550 ELLIP W/O FTG	755.1
40185	1035 ELLIP LEG-HD-W/O FTG	323.4
40189	1035 ELLIP LEG W/O FTG	283.4
40191	1035 ELLIP LEG W/FTG	284.6
40192	1035 ELLIP-HD-W/FTG	324.6
40679	1035 ELLIP-BLACK-W/O FTG	283.4
40927	1035 ELLIP LEG-BLACK-W/FTG	284.6

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41438	1035 ELLIP LEG-HD-NAT-W/FTG	324.6
42006	1035 ELLIP-HD-BLACK-W/FTG	324.6
40239	1235 ELLIP LEG W/FTG	364.6
40265	1235 ELLIP LEG W/O FTG	363.4
40266	1235 ELLIP LEG-HD-NAT W/O FTG	413.4
40650	1235 ELLIP LEG-BLACK-W/O FTG	363.4
40752	1235 ELLIP LEG-BLACK-W/FTG	364.6
41285	1235 ELLIP LEG-HD-W/FTG	414.6
40806	1610 DRAINABLE W/O FTG	463.4
40808	1610 DRAINABLE-HD-W/O FTG	533.4
41039	1610 DRAINABLE-BLACK-W/O FTG	463.4
41209	1610 DRAINABLE-YLW-W/O FTG	463.4
41964	1610 DRAINABLE-HD-NAT-W/O FTG	533.4
40387	1635 ELLIP LEG W/FTG	464.6
40388	1635 ELLIP LEG-HD-W/FTG	534.6
40400	1635 ELLIP LEG-W/O FTG	463.4
40401	1635 ELLIP LEG-HD-W/O FTG	533.4
40579	1635 ELLIP LEG-BLACK-W/O FTG	463.4
40602	1635 ELLIP LEG-BLACK-W/FTG	464.6
40925	1635 ELLIP LEG-NAT-HD-W/O FTG	533.4
41890	1635 ELLIP LEG-BLACK-HD-W/FTG	534.6
40618	2035 ELLIP LEG W/FTG	594.6
40619	2035 ELLIP LEG W/O FTG	593.4
40621	2035 ELLIP LEG-BLACK-W/FTG	594.6
40622	2035 ELLIP LEG-BLACK-W/O FTG	593.4
40623	2035 ELLIP LEG-HD-W/FTG	684.6
40624	2035 ELLIP LEG-HD-W/O FTG	683.4
40775	2035 ELLIP LEG-BLACK-HD-W/FTG	684.6
41637	2035 ELLIP LEG-BLACK-HD-W/O FG	683.4
42007	2035 ELLIP LEG-HD-YELLOW-W/FTG	684.6
41382	2610 DRAINABLE W/O FTG	825.1
41383	2610 DRAINABLE-HD-W/O FTG	950.1
40283	2635 ELLIP LEG-HD-W/FTG	951.2
40284	2635 ELLIP LEG-HD-W/O FTG	948.4
40547	2635 ELLIP LEG W/FTG	826.2
40548	2635 ELLIP LEG W/O FTG	823.4
40717	2635 ELLIP LEG-BLK-HD-W/O FTG	948.4
40751	2635 ELLIP LEG-BLACK-W/FTG	826.2
40828	2635 ELLIP LEG-BLACK-W/O FTG	823.4
41294	2635 ELLIP LEG-BLACK-HD-W/FTG	951.2
40822	3210 DRAINABLE W/O FTG	955.1

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40824	3210 DRAINABLE-HD-W/O FTG	1,105.1
41356	3210 DRAINABLE-HD-NAT-W/O FTG	1,105.1
41559	3210 DRAINABLE-YELLOW-W/O FTG	955.1
42019	3210 DRAINABLE-HD-BLACK-W/OFTG	1,105.1
40686	3135 ELLIP LEG W/FTG	956.2
40687	3135 ELLIP LEG W/O FTG	953.4
40688	3135 ELLIP LEG-HD-W/FTG	1,106.2
40689	3135 ELLIP LEG-HD-W/O FTG	1,103.4
40838	3135 ELLIP LEG-NAT-HD-W/FTG	1,106.2
40853	3135 ELLIP LEG-BLACK-W/FTG	956.2
40917	3135 ELLIP LEG-BLACK-W/O FTG	953.4
40926	3135 ELLIP LEG-NAT-HD-W/O FTG	1,103.4
41235	3135 ELLIP LEG-BLK-HD-W/O FTG	1,103.4
41417	3135 ELLIP LEG-HD-BLACK-W/FTG	1,106.2
41267	4035 ELLIP LEG W/FTG	1,207.9
41268	4035 ELLIP LEG W/O FTG	1,205.1
41269	4035 ELLIP LEG-HD-W/FTG	1,382.9
41270	4035 ELLIP LEG-HD-W/O FTG	1,380.1
42011	4035 ELLIP LEG-HD-BLACK-W/FTG	1,382.9
41416	1000 CC DRAINABLE-YLW-W/O FTG	285.1
41423	1000 CC DRAINABLE-NAT-W/O FTG	285.1
41419	1500 CC DRAINABLE-YLW-W/O FTG	430.1
41426	1500 CC DRAINABLE-NAT-W/O FTG	430.1
41424	1300 CROPCARE-N/W-NAT-W/O FTG	445.1
41425	1300 CROPCARE-N/W-YLW-W/O FTG	445.1
41303	175 C/B-TANK-W/FTG	54.3
41304	175 C/B-TANK-W/O FTG	53.4
60113	175 C/B W/STAND W/FTG	98.3
60119	175/310 C/B-STAND ONLY	44.0
62104	175 C/B W/STAND-W/O FTG	97.4
41306	310 C/B-TANK-W/FTG	76.9
41307	310 C/B-TANK-W/O FTG	76.0
62343	300 C/B W/STAND W/FTG	158.0
62344	300 C/B W/STAND W/O FTG	158.4
62345	300 C/B-TANK ONLY-W/FTG	73.0
62346	300 C/B-TANK ONLY-W/O FTG	73.4
62441	310 X 42 C/B W/STAND W/FTG	120.9
62442	310 X 42 C/B W/STAND-W/O FTG	120.0
40287	500 C/B-TANK ONLY-W/FTG	124.3
40289	500 C/B W/STAND W/FTG	209.3

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40290	500 C/B W/STAND W/O FTG	208.4
40574	300/500 C/B-STAND ONLY	85.0
40723	500 C/B-TANK ONLY-W/O FTG	123.4
40809	750 C/B W/STAND W/FTG	319.3
40810	750 C/B W/STAND W/O FTG	318.4
40811	750 C/B-TANK-W/FTG	169.3
40812	750 C/B-TANK-W/O FTG	168.4
40356	1050 C/B-TANK-W/FTG	204.3
40357	1050 C/B-TANK-W/O FTG	203.4
40358	750/1050 C/B-STAND ONLY	150.0
40359	1050 C/B W/STAND W/FTG	354.3
40360	1050 C/B W/STAND W/O FTG	353.4
41965	1050 C/B-TANK-BLACK-W/O FTG	203.4
41985	1050 C/B TANK-BLACK-W/FTG	204.3
41986	1050 C/B W/STAND-BLACK-W/FTG	354.3
40411	1600 C/B-STAND ONLY	285.0
40813	1600 C/B W/STAND W/FTG	524.3
40814	1600 C/B W/STAND W/O FTG	523.4
40815	1600 C/B W/STAND-HD-W/FTG	559.3
40816	1600 C/B W/STAND-HD-W/O FTG	558.4
40817	1600 C/B-TANK-W/FTG	239.3
40818	1600 C/B-TANK-W/O FTG	238.4
40819	1600 C/B-TANK-HD-W/FTG	274.3
40820	1600 C/B-TANK-HD-W/O FTG	273.4
40082	1650 C/B-TANK-W/FTG	249.3
40083	1650 C/B-TANK-W/O FTG	248.4
40127	1650 C/B-TANK-HD-W/FTG	284.3
40128	1650 C/B-TANK-HD-W/O FTG	283.4
40670	1650 C/B W/STAND W/FTG	744.2
40671	1650 C/B W/STAND W/O FTG	743.3
40676	1650 C/B W/STAND-HD-W/FTG	779.2
40677	1650 C/B-W/STAND-HD-W/O FTG	778.3
40066	2500 C/B-TANK-W/FTG	394.3
40067	2500 C/B-TANK-W/O FTG	393.4
40129	2500 C/B-TANK-HD-W/FTG	454.3
40130	2500 C/B-TANK-HD-W/O FTG	453.4
40553	C/B-STAND ONLY-1650/2500/3000	494.9
40672	2500 C/B W/STAND W/FTG	889.2
40673	2500 C/B W/STAND W/O FTG	888.3
40674	2500 C/B W/STAND-HD-W/FTG	949.2
40675	2500 C/B W/STAND-HD-W/O FTG	948.3
40170	3000 C/B-TANK-W/FTG	444.3

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40171	3000 C/B-TANK-W/O FTG	443.4
40172	3000 C/B-TANK-HD-W/FTG	509.3
40173	3000 C/B-TANK-HD-W/O FTG	508.4
40797	3000 C/B W/STAND W/FTG	939.2
40798	3000 C/B W/STAND W/O FTG	938.3
40799	3000 C/B W/STAND-HD-W/FTG	1,004.2
40800	3000 C/B W/STAND-HD-W/O FTG	1,003.3
41896	3000 C/B-TANK-BLACK-W/O FTG	443.4
45021	3000 15 DEG C/B-NAT-W/O FTG	458.4
45141	3000 15 DEG C/B-NAT-W/FTG	460.3
40316	5500 C/B-TANK-HD-W/FTG	1,355.3
40317	5500 C/B-TANK-HD-W/O FTG	1,353.4
40549	5500 C/B-TANK-W/FTG	1,180.3
40550	5500 C/B-TANK-W/O FTG	1,178.4
40644	5500 C/B-TANK-NAT-HD-W/O FTG	1,353.4
40831	5500 C/B-TANK-BLACK-W/O FTG	1,178.4
41427	5500 C/B-TANK-HD-BLACK-W/O FTG	1,353.4
40930	6000 C/B-TANK-HD W/O FTG	1,478.4
40931	6000 C/B-TANK-W/FTG	1,330.3
40932	6000 C/B-TANK-W/O FTG	1,328.4
40933	6000 C/B-TANK-HD-W/FTG	1,480.3
40409	7500 C/B-TANK-HD-W/FTG	1,555.3
40410	7500 C/B-TANK-HD-W/O FTG	1,553.4
40551	7500 C/B-TANK-W/FTG	1,380.3
40552	7500 C/B-TANK-W/O FTG	1,378.4
40300	210 PICKUP W/FTG	56.8
40301	210 PICKUP W/O FTG	56.0
41341	210 PICKUP-YELLOW-W/FTG	56.8
40160	325 PICKUP W/FTG	81.8
40161	325 PICKUP W/O FTG	81.0
40162	325 PICKUP-GREEN-W/FTG	81.8
41342	325 PICKUP-YELLOW-W/FTG	81.8
40022	425 PICKUP-GREEN-W/FTG	96.8
40102	425 PICKUP W/FTG	96.8
40103	425 PICKUP W/O FTG	96.0
41343	425 PICKUP-YELLOW-W/FTG	96.8
60521	12 RECTANGULAR W/FTG	10.5
45115	14 GALLON SPOT SPRAYER	12.0
41346	15 INDUCTOR-YLW-W/FTG	10.5

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
60214	15 INDUCTOR W/FTG	10.5
61737	20 APPLICATOR W/FTGS	13.5
62080	25 SPOT SPRAYER	15.5
41799	30 APPLICATOR W/FTG	13.5
41954	30 APPLICATOR W/O FTG	13.4
45098	35 INDUCTOR W/FTG	14.5
62438	35 INDUCTOR-YLW-W/FTG	13.0
62717	35 INDUCTOR W/O FTG	13.0
41953	55 APPLICATOR-YLW-W/O FTG	20.4
45193	55 APPLICATOR W/FTG	20.5
45196	55 APPLICATOR W/O FTG	20.4
41340	60 INDUCTOR-YLW-W/FTG	26.9
62205	60 INDUCTOR W/FTG	26.9
42005	85 APPLICATOR W/O FTG	28.4
45105	85 APPLICATOR W/FTGS	28.5
60204	100 APPLICATOR W/FTGS	41.2
40727	110 APPLICATOR-YELLOW-W/FTGS	40.6
41843	110 APPLICATOR KINZE	40.6
45053	110 APPLICATOR W/FTGS	40.6
45219	110 APPLICATOR W/O FTG	40.0
40648	150 APPLICATOR X 30 W/FTGS	49.6
40728	150 APPLICATOR X 32-YLW-W/FTGS	46.6
40901	150 APPLICATOR X 30-YLW-W/FTGS	49.6
41844	150 APPLICATOR X 30 KINZE	49.6
45117	150 APPLICATOR X 32 W/FTGS	46.6
45204	150 APPLICATOR X 32 W/O FTG	46.0
40777	150 SLIM-LINE APP W/FTGS	56.6
40903	150 SLIM-LINE APP-YLW-W/FTGS	56.6
41305	200 SLIM-LINE APP X 24 W/FTGS	81.6
40780	200 SLIM-LINE APP X 31 W/FTGS	66.6
40902	200 SLIM-LINE X 31-YLW-W/FTGS	66.6
40598	200 APPLICATOR X 32-YLW-W/FTGS	62.6
45059	200 APPLICATOR X 32 W/FTGS	62.6
45212	200 APPLICATOR X 32 W/O FTG	62.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
45061	200 APPLICATOR X 38 W/FTGS	59.6
45207	200 APPLICATOR X 38 W/O FTG	59.0
40135	300 APPLICATOR W/FTGS	86.6
40136	300 APPLICATOR W/O FTG	86.0
40729	300 APPLICATOR-YLW-W/FTGS	86.6
40137	400 APPLICATOR W/FTGS	101.6
40138	400 APPLICATOR W/O FTG	101.0
40833	400 APPLICATOR-YLW-W/FTGS	101.6
41897	400 APPLICATOR-BLACK-W/FTGS	101.6
42014	400 APPLICATOR-BLACK-W/O FTG	101.0
40274	500 APPLICATOR W/FTGS	121.6
40375	500 APPLICATOR W/O FTG	121.0
40900	500 APPLICATOR-YLW-W/FTGS	121.6
41302	500 APPLICATOR-BLACK-W/FTGS	121.6
41433	500 APPLICATOR-BLACK-W/O FTG	121.0
40843	980 APPLICATOR-HD-W/O FTG	211.0
40904	980 APPLICATOR W/FTGS	181.5
41873	55 HORIZ LEG W/FTG	22.5
41874	55 HORIZ LEG W/O FTG	22.4
41892	55 HORIZ LEG-YLW-W/FTG	22.5
41710	35 HORIZ LEG-BLACK-W/FTG	15.5
41891	35 HORIZ LEG-YLW-W/FTG	15.5
45223	35 HORIZONTAL LEG W/FTG	15.5
60374	35 HORIZ LEG W/SUMP	16.0
62203	35 HORIZ LEG W/O FTG	15.4
62475	35 HORIZ LEG-YLW-W/SUMP	16.0
62991	35 HORIZ LEG-YELLOW-W/FTG	15.5
41805	65 HORIZ LEG-BLACK-W/FTG	26.5
45191	65 HORIZ LEG W/FTG	26.5
45194	65 HORIZ LEG W/O FTG	26.4
40296	125 HORIZ LEG W/O FTG	51.0
40298	125 HORIZ LEG W/FTG	51.8
40772	125 HORIZ LEG-YELLOW-W/FTG	51.8
40955	125 HORIZ LEG-BLACK-W/FTG	51.8
40295	225 HORIZ LEG W/O FTG	71.0
40299	225 HORIZ LEG W/FTG	71.8
40620	225 HORIZ LEG-BLACK-W/O FTG	71.0
40678	225 HORIZ LEG-BLACK-W/FTG	71.8
41344	225 HORIZ LEG-YELLOW-W/FTG	71.8

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40217	325 HORIZ LEG W/FTG	99.6
40230	325 HORIZ LEG W/O FTG	98.4
40708	325 HORIZ LEG-BLACK-W/FTG	99.6
40829	325 HORIZ LEG-BLACK-W/O FTG	98.4
41345	325 HORIZ LEG-YELLOW-W/FTG	99.6
42016	425 HORIZ LEG W/FTG	119.6
42017	425 HORIZ LEG W/O FTG	118.4
40181	525 HORIZ LEG W/FTG	139.6
40193	525 HORIZ LEG-HD-W/FTG	159.6
40195	525 HORIZ LEG W/O FTG	138.4
40203	525 HORIZ LEG-HD-W/O FTG	158.4
40594	525 HORIZ-NAT-HD-W/O FTG	158.4
40605	525 HORIZ LEG-BLACK-W/FTG	139.6
40651	525 HORIZ LEG-BLACK-W/O FTG	138.4
40778	525 HORIZ LEG-YLW-W/FTG	139.6
40655	710 DRAINABLE W/FTG	204.4
40656	710 DRAINABLE W/O FTG	203.4
40657	710 DRAINABLE-HD-W/FTG	229.4
40658	710 DRAINABLE-HD-W/O FTG	228.4
40715	710 DRAINABLE-YLW-W/FTG	204.4
41437	710 DRAINABLE-HD-NAT-W/FTG	229.4
40180	725 HORIZ LEG W/FTG	199.6
40194	725 HORIZ LEG-HD-W/FTG	229.6
40196	725 HORIZ LEG W/O FTG	198.4
40202	725 HORIZ LEG-HD-W/O FTG	228.4
40745	725 HORIZ LEG-BLACK-W/FTG	199.6
40393	1010 DRAINABLE W/FTG	319.4
40394	1010 DRAINABLE W/O FTG	318.4
40395	1010 DRAINABLE-HD-W/FTG	364.4
40396	1010 DRAINABLE-HD-W/O FTG	363.4
40718	1010 DRAINABLE-BLACK-W/FTG	319.4
40719	1010 DRAINABLE-YLW-W/FTG	319.4
41208	1010 DRAINABLE-BLACK-W/O FTG	318.4
41257	1010 DRAINABLE-YLW-W/O FTG	318.4
41558	1010 DRAINABLE-HD-BLACK-W/FTG	364.4
41898	1010 DRAINABLE-HD-YLW-W/FTG	364.4
40089	1025 HORIZ LEG W/FTG	309.6
40090	1025 HORIZ LEG W/O FTG	308.4
40131	1025 HORIZ LEG-HD-W/FTG	354.6
40132	1025 HORIZ LEG-HD-W/O FTG	353.4
40603	1025 HORIZ LEG-BLACK-W/FTG	309.6
40789	1025 HORIZ LEG-BLK-HD-W/O FTG	353.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40852	1025 HORIZ LEG-BLACK-W/O FTG	308.4
40873	1025 HORIZ LEG-BLACK-HD-W/FTG	354.6
41871	1310 DRAINABLE W/O FTG	393.4
41872	1310 DRAINABLE-HD-W/O FTG	448.4
41875	1325 HORIZ LEG W/FTG	384.6
41876	1325 HORIZ LEG W/O FTG	383.4
41877	1325 HORIZ LEG-HD-W/FTG	434.6
41878	1325 HORIZ LEG-HD-W/O FTG	433.4
40026	1625 HORIZ LEG W/FTG	449.6
40068	1625 HORIZ LEG W/O FTG	448.4
40133	1625 HORIZ LEG-HD-W/FTG	514.6
40134	1625 HORIZ LEG-HD-W/O FTG	513.4
40830	1625 HORIZ LEG-BLACK-W/FTG	449.6
40835	1625 HORIZ LEG-BLACK-W/O FTG	448.4
41879	5025 HORIZ LEG W/FTG	1,507.9
41880	5025 HORIZ LEG W/O FTG	1,505.1
41881	5025 HORIZ LEG-HD-W/FTG	1,707.9
41882	5025 HORIZ LEG-HD-W/O FTG	1,705.1
40216	2000 CONTAINMENT BASIN	315.0
40318	120 MINI BULK W/FTG	41.1
40319	120 MINI BULK W/O FTG	40.6
40848	120 MINI BULK-HD-W/FTG	46.1
40320	220 MINI BULK W/FTG	51.1
40321	220 MINI BULK W/O FTG	50.6
40847	220 MINI BULK-HD-W/FTG	61.1
42009	220 MINI BULK-BLACK-W/O FTG	50.6
62303	22" LICK WHEEL	3.0
62304	LICK WHEEL BRACKET	2.0
65398	2-HOLE LICK TANK BOLT KIT	2.0
65399	4 HOLE LICK TANK BOLT KIT	3.0
65421	22" LICK WHEELS & BRACKETS	4.0
65579	NUT-5/16 18 HFN ZP-BOLT KIT	.0
65580	BOLT-5/16 18X1 1/4 HHCS ZP	.0
65581	WASHER-5/16 FLAT ZP	.0
65582	BOLT-5/16 18X1 1/2 HHCS ZP	.0
65583	NUT-LOCKING-5/16 18 NTLN ZP	.0
65585	MINI LICK BOLT KIT	2.0
41254	30 PCO NATURAL	16.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40664	50 PCO NATURAL	26.0
40668	100 PCO NATURAL	41.0
40669	150 PCO NATURAL	61.0
41413	200 PCO NATURAL	76.0
41381	300 PCO NATURAL	143.4
41422	300 PCO YELLOW	143.4
41955	300 PCO HD BLACK	163.4
60059	C/B STAND-STEEL-1650/2500/3000	525.0
60359	TOP BAND ASSY FOR 60059 C/B	30.0
65515	CONE BOTTOM STAND - 3000	360.0
60358	C/B STAND-STEEL-5500	1,150.0
62473	C/B STAND-6000	706.0
61860	C/B STAND-STEEL-7500	1,450.0
60313	15 GALLON INDUCTOR STAND	18.0
65517	35 GALLON INDUCTOR STAND	28.0
62204	60 GALLON INDUCTOR STAND	35.0
60321	25/30 SADDLE W/NYLON BANDS	16.0
60303	55/85 SADDLE W/NYLON BANDS	22.0
60622	55 SADDLE W/STEEL BANDS	18.0
60315	110&150 SADDLE W/NYLON BANDS	47.0
60623	110&150 SADDLE W/STEEL BANDS	44.0
63019	200 X 32 SADDLE ASSEMBLY	75.0
63020	200 X 38 SADDLE ASSEMBLY	57.0
63021	300 X 38 SADDLE ASSEMBLY	100.0
63015	200 ELLIPTICAL SKID	96.0
63022	400 X 42 SADDLE ASSEMBLY	130.0
63023	500 X 48 SADDLE ASSEMBLY	138.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
63016	300 ELLIPTICAL SKID	115.0
63018	500 ELLIPTICAL SKID	170.0
60371	750 ELLIPTICAL SKID	208.0
63017	400 ELLIPTICAL SKID	120.0
62005	FRAME FOR 375 WATER TANK	57.0
60372	1000 ELLIPTICAL SKID	232.0
63217	2610 ELLIPTICAL SKID ONLY	1,200.0
62906	3210 ELLIPTICAL SKID ONLY	1,318.0
61862	L-BOLT W/NUT	.2
61863	BAND-15 INDUCTOR 2" X 56"	2.0
61864	STEEL BAND-30 GALLON	1.4
61865	STEEL BAND-55 GALLON	1.6
61866	STEEL BAND-110/150/200 X 32	2.1
61867	BAND-200X38/300X38-2" X 76"	2.5
61868	BAND-300 ELLIP-2" X 72"	2.3
61869	BAND-400X42-2" X 82"	2.9
61870	BAND-500X48/500 ELLIP-2"X98"	3.3
61871	BAND-750 ELLIP-2" X 112"	4.5
61872	BAND-1000 ELLIP-2" X 130"	2.0
61873	CRADLE-200 X 32-48" X 34"	20.0
61874	CRADLE-300 X 38-58" X 42"	27.5
61875	CRADLE-400X42/500X48-60"X48"	38.0
62042	NYLON BAND KIT-25/30 APP	3.0
62043	NYLON BAND KIT-55/85 APP	3.0
62044	NYLON BAND KIT-110/150 APP	3.0
62078	BAND-35 GAL IND (2 REQ.)	2.0
62172	SADDLE ONLY 55X70 (2 REQ)	9.0
62173	SADDLE ONLY 200X32 (2 REQ)	16.0
62174	SAD ONLY 200/300-38 (2 REQ)	27.0
62175	SADDLE ONLY 400X42 (2 REQ)	33.0
62176	SADDLE ONLY 500X48 (2 REQ)	33.0
62177	SADDLE ONLY 100X24 (2 REQ)	.0
62178	SADDLE ONLY 110&150 (2REQ)	22.0
62179	SKID ONLY 30 (1 REQ)	15.5
62180	SKID ONLY 300 ELL (1 REQ)	93.0
62181	SKID ONLY 500 ELL (1 REQ)	121.0
62182	SKID ONLY 750 ELL (1 REQ)	180.0
62183	SKID ONLY 1000 ELL (1 REQ)	200.0
62184	STAND 15 INDUCTOR (1 REQ)	15.0
62185	STAND 35 IND (2 REQ)	8.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
62186	CROSSMEMBER 35 IND (1 REQ)	4.0
62187	BOLT KIT APP/300 EL (1 REQ)	9.0
62188	BLT KIT 500&750ELL (1 REQ)	1.3
62189	BOLT KIT 1000 ELL (1 REQ)	1.7
62207	BOLT KIT - 35 IND (1-REQ)	1.0
62290	LONG SS BOLT FOR 60594/95	.0
62391	STAND 60 IND (2 REQ)	19.6
62392	BRACE-60 IND STAND	2.2
62393	CROSSMEMBER 60 IND (1 REQ)	6.5
62394	BAND - 60 IND	2.6
63024	BOLT KIT FOR 3210 SKID	.0
63048	BAND-200 ELLIP (63015) 2X68	.0
63049	BAND-300 ELLIP (63016) 2X76	.0
63050	BAND-400/500 ELLIP 2X94	.0
63051	SKID ONLY/200 ELLIP-63015	.0
63052	SKID ONLY/300 ELLIP-63016	.0
63054	SKID ONLY/400/500 ELLIP-63018	.0
63055	NYLON BAND KIT-200 APP	.0
63056	NYLON BAND KIT-300 APP	.0
63057	NYLON BAND KIT-400/500 APP	4.3
63058	SADDLE ONLY/200X32 APP (63019)	.0
63059	SADDLE ONLY/200X38 APP (63020)	.0
63060	SADDLE ONLY/300 APP-63021	.0
63061	SADDLE ONLY/400 APP-63022	.0
63062	SADDLE ONLY/500 APP-63023	.0
63063	1/2" J-BOLT W/NUT	2.1
63072	750 OVAL STRAP KIT	10.8
63091	NYLON BAND KIT 200 SKD #63015	4.0
63092	NYLON BAND KIT 300 SKD #63016	4.0
63093	NYLON BAND KIT 400 SKD #63017	8.0
63094	NYLON BAND KIT 500 SKD #63018	10.0
63095	NYLON BAND KIT 750 SKD #60371	11.0
63096	NYLON BAND KIT 1000 SKD #60372	13.0
67428	1600 ELLIPTICAL SKID	730.0
60520	35 GALLON BAND	1.0
61745	55/65 GALLON BAND	5.0
61744	125 GALLON BAND	5.0
60478	225/325 GALLON BAND	13.0
62852	925 GALLON BAND	21.0
60057	525/725/1025 GALLON BAND	17.0
60584	710/1010 GALLON BAND - SHORT	16.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
60585	1010 GALLON BAND - LONG	17.0
63090	1000 DRAINABLE CROPCARE BAND	25.0
60325	1035 GALLON BAND	20.0
60477	1235 GALLON BAND	20.0
63088	1300 CROPCARE BAND	20.0
63282	1310/1325 GALLON BAND	.0
62434	1610 GALLON BAND	18.9
60079	1625 GALLON BAND	30.0
63089	1500 DRAINABLE CROPCARE BAND	.0
60586	1635 GALLON BAND	28.0
62079	2035 GALLON BAND	36.0
67456	2550 GALLON BAND	36.0
63044	2610 GALLON BAND-SHORT	40.0
63045	2610 GALLON BAND-LONG	41.0
60353	2635 GALLON BAND	60.0
60354	2635/3135 GALLON LADDER	30.0
62301	LADDER ADAPTOR KIT (3135)	10.0
63047	2610/3210 ELLIP DRAIN LADDER	61.9
62097	3135 GALLON BAND	60.0
62347	3210 GALLON BAND-SHORT	40.0
62348	3210 GALLON BAND-LONG	41.0
62832	4035 GALLON BAND	42.0
63033	4035 ELLIP LEG LADDER	68.7
63284	5025 GALLON BAND	.0
41869	300 FREESTANDING WATER W/FTG	143.7
41870	300 FREESTANDING WATER W/O FTG	143.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40480	375 WATER TANK W/FRAME W/FTG	180.7
40484	375 WATER TANK W/FRAME W/O FTG	180.4
40653	375 WATER-TANK-W/O FTG	123.4
40654	375 WATER-TANK-W/FTG	123.7
41274	375 WATER TANK-60367 LID-W/FTG	123.6
41275	375 WATER TANK-60367LID-W/OFTG	123.4
41276	375 WATER-60367 LID-W/FTG&FRM	180.6
41247	400 FREESTANDING WATER W/FTG	188.7
41506	400 FREESTANDING WATER W/O FTG	188.4
41277	1000 SPHERE W/O FTG	253.4
41440	1000 SPHERE-HD-W/O FTG	288.4
40756	1250 WATER HAULING W/FTG	354.6
40905	1250 WATER HAULING-BLACK-W/FTG	354.6
41853	1250 WATER HAULING W/O FTG	353.4
41392	1500 WATER HAULING W/FTG	464.6
41436	1500 WATER HAULING W/O FTG	463.4
40912	2400 HORIZONTAL BOX-W/FTG	679.6
40913	2400 HORIZONTAL BOX-W/O FTG	678.4
41246	300 SEPTIC SPHERE-NO LID	125.0
41319	300 SEPTIC SPHERE-DL	128.5
40014	500 SEPTIC	174.0
40383	500 SEPTIC-BLACK-RECYCLED-DL	173.5
40796	500 SEPTIC-BLACK-MISSOURI-DL	173.5
41320	500 SEPTIC-DL	173.5
40785	500 SEPTIC SPHERE-BLK-DL	178.5
41211	500 SEPTIC SPHERE-BLK-NO LID	175.0
41409	500 SEPTIC SPHERE-BLACK-OREGON	194.9
40018	750 SEPTIC-1 MH-SGL COMPT	239.0
40690	750 SEPTIC-2 MH-SGL COMPT	243.0
41308	750 SEP-2 MH-1CMPT-W/T-AR-LA	254.3
41316	750 SEPTIC-2 MH-2 CMPT-W/T-DL	268.8
41322	750 SEPTIC-1 MH-1 CMPT-W/T-DL	250.8
41712	750-1 STD R35 1 CPT 20/24	249.4
41713	750-2 STD H40 1 CPT 20/24	257.3
41714	750-2 STD R35 1 CPT 24/24 NY	253.4
41715	750-2 STD R35 2 CPT 20/24	267.4
41814	750-2 STD R35 1 CPT 20/24 GENC	252.9
41815	750-2 STD R35 1 CPT 20/24 GEN	252.9
41816	750-2 STD R35 2 CPT 24/24 NY	262.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
40006	1000 SEPTIC-1 MH-SGL COMPT	294.0
40361	1000 SEPTIC-1 24"MH-NJ	300.0
40384	1000 SEPTIC-BLK-RECYCLED-DL	305.8
41323	1000 SEPTIC-1 MH-1 CMPT-W/T-DL	305.8
41716	1000-1 STD R35 1 CPT 20/24	304.4
41717	1000-1 STD R35 1 CPT 24/24 NY	304.9
40187	1000 SEPTIC-2 MH-SGL COMPT	298.0
40784	1000 SEPTIC-1CMPT-BLK-MO-DL	384.3
40889	1000 SEPTIC-1 CMPT-W/T-DL	309.3
41248	1000 SEPTIC-1 CMPT-W/T-DL	309.3
41309	1000 SEPTIC-1 CMPT-W/T-AR-NE	309.3
41557	1000 SEPTIC-1 COMPT-RECY-DL	384.3
41703	1000-STD-SDR35-1 CPT	303.0
41718	1000-2 STD R35 1 CPT 20/24	307.9
41719	1000-2 STD H40 1 CPT 20/24	312.3
41725	1000-2 STD R35 1 CPT 24/24 NY	308.4
41731	1000-2 RCY R35 1 CPT 20/27	383.1
41732	1000-2 RCY R35 1 CPT 20/24 MO	382.9
40297	1000 SEPTIC-2 CMPT-WA-DL	315.0
40323	1000 SEPTIC-2 COMPARTMENT	316.0
40736	1000 SEPTIC-2 CMPT-W/T-DL	327.3
40793	1000 SEPTIC-2 COMPT-NC	315.0
40897	1000 SEPTIC-2CMPT-W/T-IAPMO-DL	330.3
41296	1000 SEPTIC-2 CMPT-W/T-WA-DL	327.3
41318	1000 SEPTIC-2 CMPT-W/T-NC-DL	322.6
41324	1000 SEPTIC-2 CMPT-W/T-IA-DL	327.3
41327	1000 SEPTIC-2 CMPT-W/T-DL	327.3
41358	1000 SEPTIC-2 CMPT-W/T-GA-DL	327.3
41577	1000 SEPTIC-2 COMP-IAPMO-RECY	395.8
41720	1000-2 STD R35 2 CPT 20/24	325.9
41721	1000-2 STD R35 2CPT 20/24 IAPM	326.4
41722	1000-2 STD H40 2CPT 20/24 GENR	330.3
41723	1000-2 STD H40 2 CPT 20/20 IA	329.2
41724	1000-2 STD R35 2CPT 20/24 GACN	325.9
41726	1000-2 STD R35 2 CPT 0/24 NC	323.7
41727	1000-2 STD R35 2CPT 20/24 KING	325.9
41729	1000-2STD R35 2CPT 20/24 IA NL	319.4
41733	1000-2 RCY R35 2CPT 20/24 IPNL	394.4
41781	1000-2 STD R35 2 CPT 24/24 NY	326.4
41278	1000 SEPTIC-BRUISER-1 CMPT-DL	384.3
41279	1000 SEP-RECY-HD-1 CMPT-BLK-DL	384.3
41385	1000 SEPTIC BRUISER-1 CMPT	373.0
41734	1000-2 BSR R35 1 CPT 20/24	382.9
41737	1000-2 BSR R35 1 CPT 24/24 NY	383.4
41768	1000-1 BSR R35 1CPT 20/24 MN	379.4

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41817	1000-2 BSR H40 1 CPT 20/24	387.3
41280	1000 SEPTIC BRUISER-2 CMPT-DL	402.3
41281	1000 SEP-RECY-HD-2 CMPT-BLK-DL	402.3
41384	1000 SEPTIC BRUISER-2 CMPT	391.0
41390	1000 SEP BRUISER-2 CMPT-WA-DL	402.3
41676	1000 SEP BRUISER-2 COMPT-GA	402.3
41735	1000-2 BSR R35 2 CPT 20/24	400.9
41736	1000-2 BSR R35 2CPT 20/24 GACN	400.9
41738	1000-2 BSR R35 2 CPT 0/24 NC	398.7
41739	1000-2 BSR R35 2CPT 20/24 KING	400.9
41740	1000-2 BSR R35 2 CPT 20/24 NP	390.0
41813	1000-2 BSR R35 2 CPT 24/24 NY	401.4
40792	1250 SEPTIC-1 CMPT-BLK-MO-DL	364.3
40890	1250 SEPTIC-1 CMPT-W/T-DL	364.3
41249	1250 SEPTIC-1 CMPT-W/T-DL	364.3
41310	1250 SEPTIC-1 CMPT-W/T-AR-NE	364.3
41421	1250 SEPTIC BLANK	345.0
41741	1250-STD R35 1 CPT 20/27	363.1
41742	1250-STD H40 1 CPT 20/27	367.7
41747	1250-STD R35 1 CPT 24/24 NY	363.4
41751	1250-BLK R35 1 CPT 20/27 MO	362.9
41752	1250-BSR R35 1 CPT 20/27	443.1
40521	1250 SEPTIC-2 CMPT-WA-DL	376.5
40738	1250 SEPTIC-2 CMPT-W/T-DL	388.8
40898	1250 SEPTIC-2CMPT-W/T-IAPMO-DL	389.3
41036	1250 SEP-2CMPT-W/T-IAPMO-NOLID	382.3
41297	1250 SEPTIC-2 CMPT-W/T-WA-DL	388.8
41313	1250 SEPTIC-2 CMPT-W/T-DL	388.8
41325	1250 SEPTIC-2 CMPT-W/T-IA-DL	388.8
41743	1250-STD R35 2 CPT 20/27	387.6
41744	1250-STD R35 2 CPT 20/27 IAPMO	388.1
41745	1250-STD H40 2 CPT 20/20 IA	390.7
41746	1250-STD R35 2 CPT 20/27 CN	387.6
41748	1250-STD R35 2CPT 20/27 KING	387.6
41750	1250-STD R35 2 CPT 20/27 IA NL	381.1
41779	1250-STD H40 2 CPT 20/27 GENIC	392.2
41782	1250-STD R35 2 CPT 24/24 NY	387.9
41386	1250 SEPTIC BRUISER-1 CMPT-DL	444.3
41653	1250 SEPTIC BRUISER-1 COMPT	444.3
41755	1250-BSR R35 1 CPT 24/24 NY	443.4
41818	1250 BSR H40 1 CPT 20/27	447.7
41387	1250 SEPTIC BRUISER-2 CMPT-DL	468.8
41678	1250 SEP BRUISER-2 COMPT-WA	468.8

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41728	1250 BSR R35 2 CPT 24/24 NY	467.9
41753	1250-BSR R35 2 CPT 20/27	467.6
41754	1250-BSR R35 2 CPT 20/27 CN	467.6
41756	1250-BSR R35 2CPT 20/27 KING	467.6
41757	1250-BSR R35 2CPT 20/27 NON PL	456.5
40276	1500 SEPTIC-SGL COMPARTMENT	448.0
40790	1500 SEPTIC-1 CMPT-BLK-MO-DL	459.3
40891	1500 SEPTIC-1 CMPT-W/T-DL	459.3
41250	1500 SEPTIC-1 CMPT-W/T-DL	459.3
41311	1500 SEPTIC-1 CMPT-W/T-AR-NE	459.3
41420	1500 SEPTIC BLANK	440.0
41758	1500-STD R35 1 CPT 20/27	458.1
41759	1500-STD H40 1 CPT 20/27	462.7
41765	1500-STD R35 1 CPT 24/24 NY	458.4
41770	1500-BLK R35 1 CPT 20/27 MO	458.1
40522	1500 SEPTIC-2 CMPT-WA-DL	471.5
40740	1500 SEPTIC-2 CMPT-W/T-DL	483.8
40899	1500 SEPTIC-2CMPT-W/T-IAPMO-DL	484.3
41037	1500 SEP-2CMPT-W/T-IAPMO-NOLID	477.3
41298	1500 SEPTIC-2 CMPT-W/T-WA-DL	483.8
41314	1500 SEPTIC-2 CMPT-W/T-DL	483.8
41315	1500 SEPTIC-2 CMPT-W/T-NC-DL	479.1
41317	1500 SEPTIC-2 CMPT-W/T-GA-DL	483.8
41326	1500 SEPTIC-2 CMPT-W/T-IA-DL	483.8
41749	1500 BSR R35 2 CPT 24/24 NY	587.9
41760	1500-STD R35 2 CPT 20/27	482.6
41761	1500-STD R35 2 CPT 20/27 IAPMO	483.1
41762	1500-STD H40 2 CPT 20/20 IA	485.7
41763	1500-STD R35 2 CPT 24/24 GA	482.9
41764	1500-STD R35 2 CPT 20/27 CN	482.6
41766	1500-STD R35 2 CPT 0/27 NC	480.4
41767	1500-STD R35 2CPT 20/27 KING	482.6
41769	1500-STD R35 2 CPT 20/27 IA NL	476.1
41780	1500-STD H40 2 CPT 20/27 GENIC	487.2
41812	1500-STD R35 2 CPT 24/24 NY	482.9
41389	1500 SEPTIC BRUISER-1 CMPT	553.0
41442	1500 SEP BRUISER-1 COMPT-DL	564.3
41771	1500-BSR R35 1 CPT 20/27	563.1
41775	1500-BSR R35 1 CPT 24/24 NY	563.4
41819	1500 BSR H40 1 CPT 20/27	567.7
41388	1500 SEPTIC BRUISER-2 CMPT	577.5
41677	1500 SEP BRUISER-2 COMPT-GA	588.8
41679	1500 SEP BRUISER-2 COMPT	588.8
41772	1500-BSR R35 2 CPT 20/27	587.6

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
41773	1500-BSR R35 2 CPT 24/24 GA	587.9
41774	1500-BSR R35 2 CPT 20/27 CN	587.6
41776	1500-BSR R35 2 CPT 0/27 NC	585.4
41777	1500-BSR R35 2CPT 20/27 KING	587.6
41778	1500-BSR R35 2CPT 20/27 NON PL	576.5
41321	325 CISTERN SPHERE-DL	128.5
40016	600 CISTERN	224.0
40856	550 SPHERE-CISTERN-NATURAL-DL	198.5
41328	600 CISTERN-DL	223.5
40324	1200 CISTERN	373.0
41329	1200 CISTERN-DL	372.0
41893	1400 CISTERN-DL	432.0
41330	1700 CISTERN-DL	552.0
60069	24" MANHOLE EXTENSION	17.5
60345	20" MANHOLE EXTENSION	14.0
62396	20" MH EXT X 24" H W/O LUGS	15.1
62397	20" MH EXT X 15" H W/O LUGS	11.1
60112	24" LID & RISER	17.5
60346	20" LID & RISER	14.0
62395	20" LID & RISER W/O LUGS	12.5
60043	24" SEPTIC LID	10.0
60463	20" SEPTIC LID	4.0
62408	20" SEPTIC LID W/O LUGS W/GSKT	3.5
63358	20" SEPTIC LID W/O LUGS	.0
41251	DIVIDER-1000-2 MH	20.5
41299	DIVIDER-NY-750 2 MH-2 CMPT	14.0
41300	DIVIDER-TX-750 2 MH-2 CMPT	14.0
60042	SANITARY TEE 4" REG	1.1
60067	SANITARY T 4" HD SCH 40	2.4
60352	GASKET 4" SEPTIC-SVC 30/40	.4
60357	DIVIDER-1000 GAL.-2 MH-STD WT	18.0
60364	BAFFLE ADAPTOR/41251(IAPMO)	.2
60370	4" 90 DEG.CORR.ELBOW(IAPMO)	.3
60373	DIVIDER-1250/1500-2 MANHOLE	24.5
60593	4" PVC-SCHEDULE 40 PIPE	2.0
60601	OR KIT 2 MH-SCH 40-TEE/PIPE	19.4
62365	TEE - INLET	4.1
62366	TEE - OUTLET	6.0
62368	FLEXIBLE COUPLING	1.0

TANK WEIGHTS-LST & WWM-GROUPED BY SIZE
03/22/04

Item	Description	Weight
62405	1 1/2" SCHEDULE 40 PIPE-20'	.0
62406	SELF-TAPPING SCREW	.0
62942	GASKET - 20" DOMED SEPTIC LID	.0
62943	GASKET - SEPTIC TEE	.0
63068	SCH 40 4" ADAPTAFLEX GASKET	.5
63074	GASKET SEPTIC-SVC 30 ONLY	.0
63097	PROTECTIVE CAP .207X.5 506284	.0
63151	SEPTIC ADAPT SDR35 W/NUT& GSKT	3.0
63152	SEPTIC ADAPT SCH40 W/NUT& GSKT	4.0
63153	GASKET EPDM FOR SEPTIC ADAPTER	.0
63250	PIPE-SDR35 PVC-4 INCH	1.3
63251	INLET TEE ASSY SDR 35-20 INCH	2.2
63252	OUTLET TEE ASSY SDR 35-24 INCH	2.7
63253	OUTLET TEE ASSY SDR 35-27 INCH	2.9
63254	INLET TEE ASSY SCH 40-20 INCH	3.1
63255	OUTLET TEE ASSY SCH 40-24 INCH	4.2
63256	OUTLET TEE ASSY SCH 40-27 INCH	4.6
61762	SERVICE WEIGHT KIT	3.0
61763	SCHEDULE 40 KIT	5.6
61765	GASKET KIT (2)	.8

* * * E N D O F R E P O R T * * *